| | Provider Number | Hospital Name |
|--------|-----------------|---|
| 450005 | | MEMORIAL HERMANN BAPTIST ORANGE HOSPITAL |
| 450018 | | UNIVERSITY OF TEXAS MEDICAL BRANCH GAL |
| 450034 | | CHRISTUS HOSPITAL |
| 450072 | | BRAZOSPORT REGIONAL HEALTH SYSTEM |
| 450296 | | CLEVELAND REGIONAL MEDICAL CTR |
| 450346 | | MEMORIAL HERMANN BAPTIST BEAUMONT HOSPITAL |
| 450395 | | MEMORIAL MEDICAL CENTER LIVINGSTON |
| 450460 | | TYLER COUNTY HOSPITAL |
| 450484 | | WOODLAND HEIGHTS MEDICAL CENTER |
| 450518 | | THE MEDICAL CENTER OF SOUTHEAST TEXAS |
| 450573 | | CHRISTUS JASPER MEMORIAL HOSPITAL |
| 450591 | | ANGLETON-DANBURY MEDICAL CENTER |
| 450656 | | NACOGDOCHES MEDICAL CENTER |
| 451320 | | BAYSIDE COMMUNITY HOSPITAL |

Page 1 of 64 10/17/2012

| Address 1 | Address 2 | Address 3 | |
|------------------------------|-----------|-----------|--|
| 608 STRICKLAND DRIVE | | | |
| 301 UNIVERSITY BOULEVARD | | | |
| 2830 CALDER AVENUE | | | |
| 100 MEDICAL DRIVE | | | |
| 300 E CROCKETT | | | |
| 3080 COLLEGE STREET | | | |
| 1717 HWY 59 BYPASS | | | |
| 1100 WEST BLUFF | | | |
| 505 SOUTH JOHN REDDITT DRIVE | | | |
| 2555 JIMMY JOHNSON BLVD | | | |
| 1275 MARVIN HANCOCK DRIVE | | | |
| 132 HOSPITAL DR | | | |
| 4920 NE STALLINGS DRIVE | | | |
| 200 HOSPITAL DRIVE | | | |

Page 2 of 64 10/17/2012

| City | State | ZIP Code |
|--------------|-------|----------|
| ORANGE | TX | 77630 |
| GALVESTON | TX | 77555 |
| BEAUMONT | TX | 77702 |
| LAKE JACKSON | TX | 77566 |
| CLEVELAND | TX | 77327 |
| BEAUMONT | TX | 77701 |
| LIVINGSTON | TX | 77351 |
| WOODVILLE | TX | 75979 |
| LUFKIN | TX | 75904 |
| PORT ARTHUR | TX | 77640 |
| JASPER | TX | 75951 |
| ANGLETON | TX | 77515 |
| NACOGDOCHES | TX | 75961 |
| ANAHUAC | TX | 77514 |

Page 3 of 64 10/17/2012

| County Name | Phone Number |
|-------------|--------------|
| ORANGE | 4098839361 |
| GALVESTON | 4097721011 |
| JEFFERSON | 4098927171 |
| BRAZORIA | 9792974411 |
| LIBERTY | 2815931811 |
| JEFFERSON | 4092125012 |
| POLK | 9363274381 |
| TYLER | 4092838141 |
| ANGELINA | 9366348311 |
| JEFFERSON | 4098535900 |
| JASPER | 4093845461 |
| BRAZORIA | 9798497721 |
| NACOGDOCHES | 9365699481 |
| CHAMBERS | 4092673143 |

Page 4 of 64 10/17/2012



| | Death from serious treatable complications after surgery |
|--------------------------------------|--|
| Number of Cases Too Small | |
| No Different than U.S. National Rate | |
| No Different than U.S. National Rate | |
| No Different than U.S. National Rate | |
| Number of Cases Too Small | |
| No Different than U.S. National Rate | |
| Number of Cases Too Small | |
| Not Available | |
| No Different than U.S. National Rate | |
| No Different than U.S. National Rate | |
| Number of Cases Too Small | |
| Number of Cases Too Small | |
| No Different than U.S. National Rate | |
| Not Available | |

Page 5 of 64 10/17/2012



| Footnote - Death from serious treatable complications after surgery | | | | |
|--|--|--|--|--|
| Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases. | | | | |
| | | | | |
| | | | | |
| | | | | |
| Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases. | | | | |
| | | | | |
| Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases. | | | | |
| No data are available from the hospital for this measure. | | | | |
| | | | | |
| | | | | |
| Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases. | | | | |
| Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases. | | | | |
| | | | | |
| No data are available from the hospital for this measure. | | | | |
| | | | | |
| | | | | |

Page 6 of 64 10/17/2012



| Collapsed lung due to medical treatment |
|---|
| No Different than U.S. National Rate |
| Not Available |

Page 7 of 64 10/17/2012



| Footnote - Collapsed lung due to medical treatment | |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| No data are available from the hospital for this measure. | |
| | |
| | |
| | |
| | |

Page 8 of 64 10/17/2012



Breathing failure after surgery

| No | Different | than | 211 | Mational | Pato |
|-----|-----------|------|------|----------|------|
| INO | Dillerent | man | U.S. | malionai | Rate |

Worse than U.S. National Rate

No Different than U.S. National Rate

Not Available

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Number of Cases Too Small

Not Available

Not Available

Page 9 of 64 10/17/2012



Footnote - Breathing failure after surgery

| · · · · · · · · · · · · · · · · · · · |
|--|
| |
| |
| |
| |
| |
| |
| |
| No data are available from the hospital for this measure. |
| |
| |
| |
| Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases. |
| No data are available from the hospital for this measure. |
| No data are available from the hospital for this measure. |
| |

Page 10 of 64 10/17/2012



| Serious | blood | clots | after | surgery |
|---------|-------|-------|-------|---------|
|---------|-------|-------|-------|---------|

| NO | Different | tnan | U.S. | National | Rate |
|----|-----------|------|------|----------|------|
| | | | | | |

No Different than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

Not Available

No Different than U.S. National Rate

Not Available

Page 11 of 64 10/17/2012



Footnote - Serious blood clots after surgery No data are available from the hospital for this measure. No data are available from the hospital for this measure.

Page 12 of 64 10/17/2012



| A wound that splits open after surgery |
|--|
| No Different than U.S. National Rate |
| Not Available |
| No Different than U.S. National Rate |
| No Different than U.S. National Rate |
| Number of Cases Too Small |
| No Different than U.S. National Rate |
| No Different than U.S. National Rate |
| Not Available |

Page 13 of 64 10/17/2012



Footnote - A wound that splits open after surgery No data are available from the hospital for this measure. Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases. No data are available from the hospital for this measure.

Page 14 of 64 10/17/2012



| | Accidental cuts and tears from medical treatment |
|--------------------------------------|--|
| No Different than U.S. National Rate | |
| No Different than U.S. National Rate | |
| Better than U.S. National Rate | |
| No Different than U.S. National Rate | |
| No Different than U.S. National Rate | |
| Better than U.S. National Rate | |
| No Different than U.S. National Rate | |
| No Different than U.S. National Rate | |
| No Different than U.S. National Rate | |
| No Different than U.S. National Rate | |
| No Different than U.S. National Rate | |
| No Different than U.S. National Rate | |
| No Different than U.S. National Rate | |
| Not Available | |

Page 15 of 64 10/17/2012



| Footnote - Accidental cuts and tears from medical treatment |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| No data are available from the hospital for this measure. |
| |
| |
| |
| |
| |

Page 16 of 64 10/17/2012

Serious Complications

| No Different than | 110 | Mational | Rata |
|-------------------|-------|-----------|------|
| NO Imerem man | יכינו | IVALIONAL | Raie |

No Different than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

Not Available

Page 17 of 64 10/17/2012



| Footnote - Serious Complications |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| No data are available from the hospital for this measure. |

Page 18 of 64 10/17/2012



| | Death after surgery to repair a weakness in the abdominal aorta |
|---------------|---|
| Not Available | |

Page 19 of 64 10/17/2012



| Footnote - Death after surgery to repair a weakness in the abdominal aorta |
|--|
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |

Page 20 of 64 10/17/2012



| | Deaths after admission for broken hip |
|---------------|---------------------------------------|
| Not Available | |

Page 21 of 64 10/17/2012



| Footnote - Deaths after admission for broken hip |
|--|
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |

Page 22 of 64 10/17/2012

| | Deaths from Certain Conditions |
|---------------|--------------------------------|
| Not Available | |

Page 23 of 64 10/17/2012



| Footnote - Deaths from Certain Conditions |
|---|
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |
| Suppressed for one or more quarters by CMS. |

Page 24 of 64 10/17/2012



| | Number of Patients - Death from serious treatable complications after surgery |
|---------------|---|
| 7 | |
| 119 | |
| 140 | |
| 26 | |
| 7 | |
| 119 | |
| 18 | |
| Not Available | |
| 53 | |
| 40 | |
| 5 | |
| 4 | |
| 54 | |
| Not Available | |

Page 25 of 64 10/17/2012



| | Rate - Death from serious treatable complications after surgery |
|---------------|---|
| Not Available | |
| 131.85 | |
| 134.06 | |
| 91.82 | |
| Not Available | |
| 132.23 | |
| Not Available | |
| Not Available | |
| 95.74 | |
| 109.34 | |
| Not Available | |
| Not Available | |
| 145.24 | |
| Not Available | |

Page 26 of 64 10/17/2012



| | Lower Estimate - Death from serious treatable complications after surgery |
|---------------|---|
| Not Available | |
| 95.49 | |
| 99.68 | |
| 41.86 | |
| Not Available | |
| 93.74 | |
| Not Available | |
| Not Available | |
| 50.8 | |
| 62.61 | |
| Not Available | |
| Not Available | |
| 100.24 | |
| Not Available | |

Page 27 of 64 10/17/2012



| | Higher Estimate - Death from serious treatable complications after surgery |
|---------------|--|
| Not Available | |
| 168.21 | |
| 168.44 | |
| 141.78 | |
| Not Available | |
| 170.72 | |
| Not Available | |
| Not Available | |
| 140.68 | |
| 156.07 | |
| Not Available | |
| Not Available | |
| 190.24 | |
| Not Available | |

Page 28 of 64 10/17/2012



| | Number of Patients - Collapsed lung due to medical treatment |
|---------------|--|
| 1529 | |
| 6034 | |
| 15057 | |
| 3915 | |
| 1962 | |
| 10766 | |
| 2345 | |
| 976 | |
| 4582 | |
| 4204 | |
| 1383 | |
| 1310 | |
| 3985 | |
| Not Available | |

Page 29 of 64 10/17/2012

| | Rate - Collapsed lung due to medical treatment |
|---------------|--|
| 0.37 | |
| 0.32 | |
| 0.42 | |
| 0.34 | |
| 0.3 | |
| 0.18 | |
| 0.4 | |
| 0.33 | |
| 0.36 | |
| 0.43 | |
| 0.31 | |
| 0.3 | |
| 0.52 | |
| Not Available | |

Page 30 of 64 10/17/2012



| | Lower Estimate - Collapsed lung due to medical treatment |
|---------------|--|
| 0 | |
| 0 | |
| 0.18 | |
| 0 | |
| 0 | |
| 0 | |
| 0 | |
| 0 | |
| 0.01 | |
| 0.08 | |
| 0 | |
| 0 | |
| 0.17 | |
| Not Available | |

Page 31 of 64 10/17/2012

| | Higher Estimate - Collapsed lung due to medical treatment |
|---------------|---|
| 0.76 | |
| 0.65 | |
| 0.66 | |
| 0.71 | |
| 0.71 | |
| 0.45 | |
| 0.81 | |
| 0.76 | |
| 0.71 | |
| 0.78 | |
| 0.72 | |
| 0.71 | |
| 0.87 | |
| Not Available | |

Page 32 of 64 10/17/2012



| | Number of Patients - Breathing failure after surgery |
|---------------|--|
| Not Available | |

Page 33 of 64 10/17/2012



| | Rate - Breathing failure after surgery |
|---------------|--|
| Not Available | |

Page 34 of 64 10/17/2012



| | Lower Estimate - Breathing failure after surgery |
|---------------|--|
| Not Available | |

Page 35 of 64 10/17/2012



| | Higher Estimate - Breathing failure after surgery |
|---------------|---|
| Not Available | |

Page 36 of 64 10/17/2012



| | Number of Patients - Serious blood clots after surgery |
|---------------|--|
| 166 | |
| 1895 | |
| 4375 | |
| 621 | |
| 130 | |
| 2478 | |
| 444 | |
| Not Available | |
| 1273 | |
| 783 | |
| 81 | |
| 331 | |
| 1332 | |
| Not Available | |

Page 37 of 64 10/17/2012

| | Rate - Serious blood clots after surgery |
|---------------|--|
| 4.45 | |
| 5.51 | |
| 2.24 | |
| 3.18 | |
| 3.93 | |
| 2.47 | |
| 7.55 | |
| Not Available | |
| 3.49 | |
| 3.37 | |
| 4.19 | |
| 3.22 | |
| 4.64 | |
| Not Available | |

Page 38 of 64 10/17/2012

| | Lower Estimate - Serious blood clots after surgery |
|---------------|--|
| 0.1 | |
| 3.39 | |
| 0.42 | |
| 0 | |
| 0 | |
| 0.14 | |
| 3.45 | |
| Not Available | |
| 0.53 | |
| 0 | |
| 0 | |
| 0 | |
| 1.62 | |
| Not Available | |

Page 39 of 64 10/17/2012

| | Higher Estimate - Serious blood clots after surgery |
|---------------|---|
| 8.8 | |
| 7.63 | |
| 4.06 | |
| 6.88 | |
| 8.67 | |
| 4.8 | |
| 11.65 | |
| Not Available | |
| 6.45 | |
| 6.8 | |
| 9.09 | |
| 7.51 | |
| 7.66 | |
| Not Available | |

Page 40 of 64 10/17/2012



| | Number of Patients - A wound that splits open after surgery |
|---------------|---|
| 29 | |
| 305 | |
| 539 | |
| 93 | |
| 38 | |
| 306 | |
| 59 | |
| Not Available | |
| 135 | |
| 68 | |
| 10 | |
| 34 | |
| 186 | |
| Not Available | |

Page 41 of 64 10/17/2012

| | Rate - A wound that splits open after surgery |
|---------------|---|
| 0.88 | |
| 0.49 | |
| 0.32 | |
| 1.7 | |
| 0.86 | |
| 1.04 | |
| 0.8 | |
| Not Available | |
| 0.63 | |
| 0.77 | |
| Not Available | |
| 0.88 | |
| 1.36 | |
| Not Available | |

Page 42 of 64 10/17/2012

| | Lower Estimate - A wound that splits open after surgery |
|---------------|---|
| 0 | |
| 0 | |
| 0 | |
| 0 | |
| 0 | |
| 0 | |
| 0 | |
| Not Available | |
| 0 | |
| 0 | |
| Not Available | |
| 0 | |
| 0 | |
| Not Available | |

Page 43 of 64 10/17/2012

| | Higher Estimate - A wound that splits open after surgery |
|---------------|--|
| 3.09 | |
| 2.14 | |
| 1.65 | |
| 3.72 | |
| 3.06 | |
| 2.63 | |
| 2.92 | |
| Not Available | |
| 2.51 | |
| 2.85 | |
| Not Available | |
| 3.09 | |
| 3.16 | |
| Not Available | |

Page 44 of 64 10/17/2012



| | Number of Patients - Accidental cuts and tears from medical treatment |
|---------------|---|
| 1576 | |
| 6330 | |
| 15637 | |
| 4087 | |
| 1982 | |
| 11056 | |
| 2364 | |
| 992 | |
| 4812 | |
| 4422 | |
| 1415 | |
| 1360 | |
| 3906 | |
| Not Available | |

Page 45 of 64 10/17/2012

| | Rate - Accidental cuts and tears from medical treatment |
|---------------|---|
| 2.17 | |
| 2.8 | |
| 0.76 | |
| 1.91 | |
| 2.21 | |
| 0.57 | |
| 1.92 | |
| 1.9 | |
| 2.6 | |
| 1.65 | |
| 2.56 | |
| 1.43 | |
| 1.53 | |
| Not Available | |

Page 46 of 64 10/17/2012

| | Lower Estimate - Accidental cuts and tears from medical treatment |
|---------------|---|
| 0.17 | |
| 1.74 | |
| 0 | |
| 0.3 | |
| 0.19 | |
| 0 | |
| 0.04 | |
| 0 | |
| 1.23 | |
| 0.16 | |
| 0.38 | |
| 0 | |
| 0.26 | |
| Not Available | |

Page 47 of 64 10/17/2012

| | Higher Estimate - Accidental cuts and tears from medical treatment |
|---------------|--|
| 4.17 | |
| 3.86 | |
| 1.58 | |
| 3.52 | |
| 4.23 | |
| 1.59 | |
| 3.8 | |
| 4.21 | |
| 3.97 | |
| 3.14 | |
| 4.74 | |
| 3.43 | |
| 2.8 | |
| Not Available | |

Page 48 of 64 10/17/2012



| | Number of Patients - Serious Complications |
|---------------|--|
| Not Available | |

Page 49 of 64 10/17/2012

| | Rate - Serious Complications |
|---------------|------------------------------|
| Not Available | |

Page 50 of 64 10/17/2012



| | Lower Estimate - Serious Complications |
|---------------|--|
| Not Available | |

Page 51 of 64 10/17/2012



| | Higher Estimate - Serious Complications |
|---------------|---|
| Not Available | |

Page 52 of 64 10/17/2012



| | Number of Patients - Death after surgery to repair a weakness in the abdominal aorta |
|---------------|--|
| Not Available | |

Page 53 of 64 10/17/2012



| | Rate - Death after surgery to repair a weakness in the abdominal aorta |
|---------------|--|
| Not Available | |

Page 54 of 64 10/17/2012



| Lower Estimate - Death after surgery to repair a weakness in the abdominal aorta |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Page 55 of 64 10/17/2012



| | Higher Estimate - Death after surgery to repair a weakness in the abdominal aorta |
|---------------|---|
| Not Available | |

Page 56 of 64 10/17/2012



| | Number of Patients - Deaths after admission for broken hip |
|---------------|--|
| Not Available | |

Page 57 of 64 10/17/2012



| | Rate - Deaths after admission for broken hip |
|---------------|--|
| Not Available | |

Page 58 of 64 10/17/2012



| | Lower Estimate - Deaths after admission for broken hip |
|---------------|--|
| Not Available | |

Page 59 of 64 10/17/2012



| | Higher Estimate - | - Deaths after admission for broken hip |
|---------------|-------------------|---|
| Not Available | | |

Page 60 of 64 10/17/2012



| | Number of Patients - Deaths from Certain Conditions |
|---------------|---|
| Not Available | |

Page 61 of 64 10/17/2012



| | Rate - Deaths from Certain Conditions |
|---------------|---------------------------------------|
| Not Available | |

Page 62 of 64 10/17/2012



| | Lower Estimate - Deaths from Certain Conditions |
|---------------|---|
| Not Available | |

Page 63 of 64 10/17/2012



| | Higher Estimate - Deaths from Certain Conditions |
|---------------|--|
| Not Available | |

Page 64 of 64 10/17/2012